一、开发环境的搭建

1）安装集成环境 IDE：杰理工具链/杰理开发环境搭建/codeblocks-16.01mingw-setup.exe




Code::Blocks Installation
Choose Components
Choose which features of CodeBlocks you want to install.
Check the components you want to install and uncheck the components you don't want to install. Click Next to continue.
Select the type of install:
Full: All plugins, all tools, just everything
Or, select the optional components you wish to install:
Default install
Contrib Plugins
C::B CBP2Make
C::B Share Config
C::B Launcher
MinGW Compiler Suite
Description
Position your mouse over a component to see its description.
Space required: 229.6MB
Nullsoft Install System v3.0b3
< Back
Next >
Cancel


Code::Blocks Installation
Choose Install Location
Choose the folder in which to install CodeBlocks.
Setup will install CodeBlocks in the following folder. To install in a different folder, click Browse and select another folder. Click Install to start the installation.
Destination Folder
D:\杰理工具链\codeblock\CodeBlocks
Browse...
Space required: 229.6MB
Space available: 183.8GB
Nullsoft Install System v3.0b3
< Back
Install
Cancel



2）安装杰理工具链：杰理工具链/杰理开发环境搭建

/jl_toolchain_update_2.4.4.exe，安装前需要先打开一次 codeblocks 再关闭。

工具链安装完毕后，会跳出申请 license 页面:



若未自动跳出申请 **license** 页面，可在开始页面选择“申请 **license**”:



输入邀请码（有效的邀请码需要询问代理商获取）、公司名称、邮箱地址（用以接收杰理工具链的 **license** 文件）后，会收到一封带附件的邮件，附件文件名后缀为 **lic**：





开始页面选择“导入 **license**”，将 **lic** 文件导入





3）安装强制下载工具驱动：安装时保证工具未插入电脑，点击杰理工具链/工具安装包/serdrv.exe，一直点下一步即可，最后显示下图代表安装成功：



二、SDK 编译和烧录

1）双击打开 CodeBlock：



2）选择工程目录：



3）一键编译烧录：


[AC632N_spp_and_le] - Code::Blocks 16.01
File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help
Release
Management
Projects Symbols Files FSymbols Resources
Workspace
AC632N_spp_and_le
Sources
Headers
Logs & others
Code::Blocks
Search results
Cccc
Build log
Build messages
CppCheck